

**To:** Kemmerer, John[KEMMERER.JOHN@EPA.GOV]  
**Cc:** Vendlinski, Tim[vendlinski.tim@epa.gov]  
**From:** Moore, Linda  
**Sent:** Thur 7/23/2015 4:01:34 PM  
**Subject:** FW: AX-15-001-1767 Due on 8/5/2015  
[AX-15-001-1767 Control Slip.pdf](#)  
[AX-15-001-1767.pdf](#)

Good Morning John,

I'm assigning the attached AX to your office for a response, please note the due date is Aug 5, 2015.

Thank you

\*\*\*\*\*

*Linda Moore*

*Water Division*

*US EPA Region 9*

*75 Hawthorne Street*

*San Francisco, CA 94105*

*(415) 972-3745 - work*

*(415) 972-3549 - fax*

*moore.linda@epa.gov*

**From:** Kwok, Frances  
**Sent:** Wednesday, July 22, 2015 3:26 PM  
**To:** Moore, Linda  
**Cc:** Gaudario, Abigail  
**Subject:** AX-15-001-1767 Due on 8/5/2015

Linda,

ORA received the attached AX-15-001-1767. The subject is Request for real BDCP alternatives. The due date is August 5, 2015.

Thanks,

*Frances Kwok*

Office of the Regional Administrator

U.S. E.P.A. Region 9

75 Hawthorne Street

San Francisco, CA 94105

(415) 947-4232

[kwok.frances@epa.gov](mailto:kwok.frances@epa.gov)